

#### 2026 RANGE



### STELVIO

# THE NEVER-ENDING JOURNEY

MOTO GUZZI STELVIO IS THE MODERN ADVENTURE TOURER READY TO TAKE YOU EVERYWHERE, WITH UNMISTAKABLE STYLE AND PIONEERING TECHNOLOGIES. IT'S GOT THE METTLE OF AN UNTIRING TRAVELLER, COMBINING COMFORT WITH AN ADVENTUROUS SPIRIT AND INDULGING YOUR SEARCH FOR THRILLS ON EVERY TRIP. ITS CONTEMPORARY, STREAMLINED BUT SOLID LINES REVEAL THE MOTO GUZZI LEGACY. THE ALPINE PASS THAT MOTO GUZZI STELVIO TAKES ITS NAME FROM IS THE HIGHEST PASS IN ITALY, AND IT'S ONE OF THE PLACES THAT BEST EMBODY THE LEGEND OF THE TWO WHEELS. WITH ITS 48 HAIRPIN BENDS, THE ROAD FIRES UP THE IMAGINATION OF EVERY MOTORCYCLIST AS A BYWORD FOR FUN, DISCOVERY AND CONQUEST.






















## UNLEASHING SUPERIOR PERFORMANCE

THE V100 MANDELLO S TAKES THE DYNAMIC AND TOURING CHARACTERISTICS OF THIS MODEL TO A HIGHER LEVEL: DESIGNED FROM THE WORD GO WITH A WEALTH OF TECHNOLOGICAL FEATURES, IT NOW BOASTS THE PFF RIDER ASSISTANCE SOLUTION® SYSTEM AS WELL, FOR EVEN SAFER RIDING IN EVERY SITUATION.








-STONE MOTO GUZZI INTUITIVE SWITCH-CUBES CRUISE CONTROL **UPDATED FULL** CIRCULAR LCD INSTRUMENT DEDICATED ROAD AND RAIN RIDING MODES RIDE-BY-WIRE **FULL LED HEADLIGHT WITH** ICONIC 21 L FUEL TANK DISTINCTIVE MOTO GUZZI DRL SIGNATURE PATTERN ABS AND **BREMBO** TRACTION CONTROL CALIPER **EVOLVED AIR COOLED V-TWIN** ENGINE WITH SHAFT DRIVE, **EURO 5+ COMPLIANT AND** CAPABLE OF DELIVERING INCREASED PERFORMANCE









INTUITIVE SWITCH-CUBES

**BAR-END MIRRORS** 

CRUISE CONTROL ENHANCED FULL LCD INSTRUM

DEDICATED SPORT RIDING MODE (ROAD, RAIN, SPORT)

RIDE-BY-WIRE

FULL LED HEADLIGHT WITH DISTINCTIVE MOTO GUZZI DRL SIGNATURE PATTERN

ICONIC 21 L FUEL TANK

6-AXIS IMU FOR CORNERING AB AND TRACTION CONTROL

IGHTWEIGHT CAST WHEEL

EVOLVED AIR COOLED V-TWIN ENGINE WITH SHAFT DRIVE, EURO 5+ COMPLIANT AND CAPABLE OF DELIVERING INCREASED PERFORMANCE ADJUSTABLE PRELOAD

> DUAL Ø 320 MM FLOATING DISCS FRONT BRAKE, WITH BREMBO MONOBLOC RADIAL CALIPERS








THE ABSOLUTE STAR OF ANY ON-ROAD JOURNEY, THE MOTO GUZZI V85 STRADA OFFERS THRILLS ON DAILY TRIPS ON TARMAC, NOT TO MENTION MORE LENGTHY JOURNEYS.






THE AUTHENTIC "ALL-TERRAIN" SPIRIT OF V85 REALLY COMES INTO THE SPOTLIGHT IN THE MOTO GUZZI V85 TT. ITS DISTINCTIVE LOOK IS A TRIBUTE TO THE ATMOSPHERE OF THE 1980s AND THE VERSATILE, ADVENTUROUS BIKES OF THAT AMAZING TIME.

















#### YOU AND YOUR MOTO GUZZI

An ode to freedom that is renewed every time the helmet is put on and the key is turned.

We know that feeling, because for nearly a hundred years, it has united those across the world who, like us, have an eagle tattooed on their heart. The Clan is the community of Moto Guzzi owners and fans where you can find fuel for your Guzzista passion and new travel campaigns to constantly discover new horizons.

JOIN US ON THECLAN.MOTOGUZZI.COM

And share your passion with the official hashtags.

#MotoGuzzi

#MotoGuzziTheClan






















**STELVIO PFF Rider Assistance Solution®** 

STELVIO DUECENTO TRIBUTO









**V100 MANDELLO** 

V100 MANDELLO S

**COLOURS** 


















V7 SPECIAL

**COLOURS** 











**V85 TT TRAVEL** 

V85 STRADA V85 TT

**COLOURS** 

	STELVIO	STELVIO PFF Rider Assistance Solution®	STELVIO DUECENTO TRIBUTO
Engine	Transversal 90° V-Twin, four valves per cylinder, liquid cooled with Ride by Wire	Transversal 90° V-Twin, four valves per cylinder, liquid cooled with Ride by Wire	Transversal 90° V-Twin, four valves per cylinder, liquid cooled with Ride by Wire
Displacement	1,042 cc	1,042 сс	1,042 cc
Bore x Stroke	96 x 72 mm	96 x 72 mm	96 x 72 mm
Maximum power	115 hp (84.6 kW) @ 8,700 rpm	115 hp (84.6 kW) @ 8,700 rpm	115 hp (84.6 kW) @ 8,700 rpm
Maximum torque	105 Nm @ 6,750 rpm	105 Nm @ 6,750 rpm	105 Nm @ 6,750 rpm
Final drive	Shaft drive	Shaft drive	Shaft drive
Gearbox	6 speed	6 speed	6 speed
Clutch	Hydraulic	Hydraulic	Hydraulic
Front suspension	Ø 46 mm USD fork with adjustable preload and rebound damping. 170 mm wheel travel	Ø 46 mm USD fork with adjustable preload and rebound damping. 170 mm wheel travel	Ø 46 mm USD fork with adjustable preload and rebound damping. 170 mm wheel travel
Rear suspension	Monoshock with adjustable preload and rebound damping. Remote spring preload adjustability. 170 mm wheel travel	Monoshock with adjustable preload and rebound damping. Remote spring preload adjustability. 170 mm wheel travel	Monoshock with adjustable preload and rebound damping. Remote spring preload adjustability. 170 mm wheel travel
Front brake	Twin Ø 320 mm floating discs, 4-piston Brembo monobloc radial calipers. Cornering ABS	Twin Ø 320 mm floating discs, 4-piston Brembo monobloc radial calipers. Cornering ABS	Twin Ø 320 mm floating discs, 4-piston Brembo monobloc radial calipers. Cornering ABS
Rear brake	Single Ø 280 mm disc, 2-piston Brembo caliper. Cornering ABS	Single Ø 280 mm disc, 2-piston Brembo caliper. Cornering ABS	Single Ø 280 mm disc, 2-piston Brembo caliper. Cornering ABS
Front wheel	Tubeless spoked wheels, 19" x 3.00"	Tubeless spoked wheels, 19" x 3.00"	Tubeless spoked wheels, 19" x 3.00" - TPMS
Rear wheel	Tubeless spoked wheels, 17" x 4.50"	Tubeless spoked wheels, 17" x 4.50"	Tubeless spoked wheels, 17" x 4.50" - TPMS
Seat height	830 mm	830 mm	830 mm
Dry weight	222 kg	222 kg	226 kg
Kerb weight*	246 kg	246 kg	250 kg
Fuel tank capacity	21	21	21
Consumption	5.1 I/100 km	5.1 I/100 km	5.1 I/100 km
Compliance	Euro 5+	Euro 5+	Euro 5+
Features	Full LED headlight with DRL, Bending lights, LED indicators, Cornering ABS and Moto Guzzi Traction Control, Cruise Control, 5 Riding Modes, Full colour TFT instrument, Electrically adjustable windscreen, hand guards	Full LED headlight with DRL, Bending lights, LED indicators, Cornering ABS and Moto Guzzi Traction Control, Cruise Control, 5 Riding Modes, Full colour TFT instrument, Electrically adjustable windscreen, hand guards. PFF Rider Assistance Solution®: Forward Collision Warning (FCW), Blind Spot Information System (BLIS), Lane Change Assist (LCA)	Full LED headlight with DRL, Bending lights, LED indicators, Cornering ABS and Moto Guzzi Traction Control, Cruise Control, 5 Riding Modes, Full colour TFT instrument, Electrically adjustable windscreen, Hand guards, TPMS (Tyre Pressure Monitoring System), Heated grips, Heated Comfort seat, Heated Comfort passenger seat, Up/Down Quickshifter, Moto Guzzi MIA, Central stand, Radiator grill, Laser etched handlebar top clamp with limited number. PFF Rider Assistance Solution®: Forward Collision Warning (FCW), Blind Spot Information System (BLIS), Lane Change Assist (LCA)
Ready for	Moto Guzzi MIA, Up/Down Quickshifter, TPMS (Typre Pressure Monitoring System)	Moto Guzzi MIA, (FCC) Following Cruise Control, Up/Down Quickshifter, TPMS	(FCC) Following Cruise Control

<sup>\*</sup>According to guideline VO (EU) 168/2013 with all fluids, with standard equipment and fuelled with at least 90% of usable tank volume

V100 MANDELLO		V100 MANDELLO S	
Engine	Transversal 90° V-Twin, four valves per cylinder, liquid cooled with Ride by Wire	Transversal 90° V-Twin, four valves per cylinder, liquid cooled with Ride by Wire	
Displacement	1,042 α	1,042 α	
Bore x Stroke	96 x 72 mm	96 x 72 mm	
Maximum power	115 hp (84.6 kW) @ 8,700 rpm	115 hp (84.5 kW) @ 8,700 rpm	
Maximum torque	105 Nm @ 6,750 rpm	105 Nm @ 6,750 rpm	
Final drive	Shaft drive	Shaft drive	
Gearbox	6 speed	6 speed	
Clutch	Hydraulic	Hydraulic	
Front suspension	Ø 41 mm USD fork with adjustable preload and rebound damping	Fully Adjustable Ø 43 mm USD Öhlins Smart EC2.0 fork, with semi-active compression and rebound damping	
Rear suspension	Monoshock with adjustable preload and rebound damping	Fully Adjustable Öhlins TTX Smart EC2.0 monoshock with semi-active compression and rebound damping, remote preload adjustment	
Front brake	Twin $\emptyset$ 320 mm floating discs, 4-piston Brembo monobloc radial calipers. Radial front master cylinder. Cornering ABS	Twin Ø 320 mm floating discs, 4-piston Brembo monobloc radial calipers. Radial front master cylinder. Cornering ABS	
Rear brake	Single Ø 280 mm disc, 2-piston Brembo caliper. Cornering ABS	Single Ø 280 mm disc, 2-piston Brembo caliper. Cornering ABS	
Front wheel	Cast aluminium, 17" x 3.5"	Cast aluminium, 17" x 3.5" - TPMS	
Rear wheel	Cast aluminium, 17" x 6"	Cast aluminium, 17" x 6" - TPMS	
Seat height	815 mm	815 mm	
Dry weight	212 kg	212 kg	
Kerb weight*	233 kg	233 kg	
Fuel tank capacity	17	17   (3.5 reserve)	
Consumption	4.7 l/100 km	4.7 l/100 km	
Compliance	Euro 5+	Euro 5+	
Features	Full LED headlight with DRL, Cornering lights, LED indicators, Cornering ABS and Moto Guzzi Traction Control, Cruise Control, Riding Modes, Full colour TFT instrument, Adaptive aerodynamic, Electrically adjustable windscreen	Full LED headlight with DRL, Cornering lights, LED indicators, Cornering ABS and Moto Guzzi Traction Control, Cruise Control, Riding Modes, Full colour TFT instrument, Adaptive aerodynamic, Electrically Adjustable windscreen, TPMS (Tyre Pressure Monitoring System), Heated grips, Up/Down quickshifter, Moto Guzzi MIA. PFF Rider Assistance Solution®: Forward Collision Warning (FCW), Blind Spot Information System (BLIS), Lane Change Assist (LCA)	
Ready for	Rear Radar (BLIS - LCA), TPMS, Moto Guzzi MIA, Up/down quickshifter	(FCC) Following Cruise Control	

<sup>\*</sup>According to guideline VO (EU) 168/2013 with all fluids, with standard equipment and fuelled with at least 90% of usable tank volume

	V7 STONE	V7 SPECIAL	V7 SPORT
Engine	Transversal 90° V-Twin, two valves per cylinder, air cooled with Ride by Wire	Transversal 90° V-Twin, two valves per cylinder, air cooled with Ride by Wire	Transversal 90° V-Twin, two valves per cylinder, air cooled with Ride by Wire
Displacement	853 α	853 cc	853 α
Bore x stroke	84 x 77 mm	84 x 77 mm	84 x 77 mm
Maximum Power	67.3 hp (49.5 kW) @ 6,900 rpm (Also available at 35 kW, A2 driver license)	67.3 hp (49.5 kW) @ 6,900 rpm (Also available at 35 kW, A2 driver license)	67.3 hp (49.5 kW) @ 6,900 rpm (Also available at 35 kW, A2 driver license)
Maximum Torque	79 Nm @ 4,400 rpm	79 Nm @ 4,400 rpm	79 Nm @ 4,400 rpm
Final drive	Shaft drive	Shaft drive	Shaft drive
Gearbox	6 speed	6 speed	6 speed
Front suspension	Ø 40 mm telescopic fork	Ø 40 mm telescopic fork	Ø 41 mm USD fork with adjustable preload
Rear suspension	Twin shock with preload adjustment	Twin shock with preload adjustment	Twin shock with preload adjustment
Front brake	Single Ø 320 mm floating disc, Brembo 4-piston floating caliper, ABS	Single Ø 320 mm floating disc, Brembo 4-piston floating caliper, ABS	Twin Ø 320 mm floating discs, 4-piston Brembo monobloc radial calipers. Cornering ABS
Rear brake	Single Ø 260 mm floating disc, 2-piston floating caliper, ABS	Single Ø 260 mm floating disc, 2-piston floating caliper, ABS	Single Ø 260 mm floating disc, 2-piston floating caliper. Cornering ABS
Front wheel	Cast aluminium, 18" x 2.5"	Spoked, 18" x 2.5"	Cast aluminium, 18" x 2.5"
Rear wheel	Cast aluminium, 17" x 4.25"	Spoked, 17" x 4.25"	Cast aluminium, 17" x 4.25"
Seat height	780 mm	780 mm	780 mm
Dry weight	198 kg	203 Kg	200 Kg
Wet weight*	218 kg	223 Kg	220 Kg
Fuel tank capacity	21	21	21
Consumption	4.9 l/100 Km	4.9 I/100 Km	4.9 l/100 Km
Compliance	Euro 5+	Euro 5+	Euro 5+
Features	Full LED headlight with DRL, LED indicators, ABS and Traction Control, Cruise Control, 2 Riding Modes	Full LED headlight with DRL, LED indicators, ABS and Traction Control, Cruise Control, 2 Riding Modes	Full LED headlight with DRL, LED indicators, Cornering ABS and Traction Control, Cruise Control, 3 Riding Modes with dedicated Sport mode, LCD instrument with fuel gauge
Ready for	Moto Guzzi MIA	Moto Guzzi MIA	Moto Guzzi MIA, TPMS

<sup>\*</sup>According to guideline VO (EU) 168/2013 with all fluids, with standard equipment and fuelled with at least 90% of usable tank volume

	V85 STRADA	V85 TT	V85 TT TRAVEL
Engine	Transversal 90° V-Twin, two valves per cylinder with variable timing (titanium intake valves), air cooled, Ride by Wire	Transversal 90° V-Twin, two valves per cylinder with variable timing (titanium intake valves), air cooled with Ride by Wire	Transversal 90° V-Twin, two valves per cylinder with variable timing (titanium intake valves), air cooled with Ride by Wire
Displacement	853 α	853 α	853 α
Bore x Stroke	84 x 77 mm	84 x 77 mm	84 x 77 mm
Maximum power	80 hp (58.8 kW) @ 7,750 rpm (Also available at 35 kW, A2 driver license)	80 hp (58.8 kW) @ 7,750 rpm (Also available at 35 kW, A2 driver license)	80 hp (58.8 kW) @ 7,750 rpm (Also available at 35 kW, A2 driver license)
Maximum torque	83 Nm @ 5,100 rpm	83 Nm @ 5,100 rpm	83 Nm @ 5,100 rpm
Final drive	Shaft drive	Shaft drive	Shaft drive
Gearbox	6 speed	6 speed	6 speed
Clutch	Dry clutch, mechanically operated	Dry clutch, mechanically operated	Dry clutch mechanically operated
Front suspension	Ø 41 mm USD fork with adjustable preload and rebound damping. 170 mm wheel travel	Ø 41 mm USD fork with adjustable preload and rebound damping. 170 mm wheel travel	Ø 41 mm USD fork with adjustable preload and rebound damping. 170 mm wheel travel
Rear suspension	Lateral monoshock with adjustable preload and rebound damping. 170 mm wheel travel	Lateral monoshock with adjustable preload and rebound damping. Remote spring preload adjustability. 170 mm wheel travel	Lateral monoshock with remote spring preload and rebound adjustability. 170 mm wheel travel
Front brake	Twin Ø 320 mm floating discs, 4-piston Brembo monobloc radial calipers	Twin Ø 320 mm floating discs, 4-piston Brembo monobloc radial calipers. Cornering ABS.	Twin Ø 320 mm floating discs, 4-piston Brembo monobloc radial calipers. Cornering ABS
Rear brake	Single Ø 260 mm disc, 2-piston caliper	Single Ø 260 mm disc, 2-piston caliper. Cornering ABS	Single Ø 260 mm disc, 2-piston caliper. Cornering ABS
Front wheel	Cast aluminium, 19" x 2.5"	Tubeless cross spoked, 19" x 2.5"	Tubeless cross spoked, 19" x 2.5"
Rear wheel	Cast aluminium, 17" x 4.25"	Tubeless cross spoked 17" x 4.25"	Tubeless cross spoked 17" x 4.25"
Seat height	830 mm	830 mm	830 mm
Dry weight	205 kg	209 kg	211 Kg (withouth panniers)
Kerb weight*	226 kg	230 kg	243 kg
Fuel tank capacity	23	23	23
Consumption	4.9 I/100 km	4.9 l/100 km	4.9 I/100 km
Compliance	Euro 5+	Euro 5+	Euro 5+
Features	Full LED headlight with DRL, LED indicators, ABS and Traction Control, Cruise Control, 3 Riding Modes, Full colour TFT instrument, USB Socket, Manually adjustable windscreen, Low front mudguard	Full LED Headlight with DRL, LED Indicators, Cornering ABS and Traction Control, Cruise Control, 4 Riding Modes, Full colour TFT instrument, USB Socket, Manually adjustable windscreen, Aluminum skid plate, Hand guards	Full LED headlight with DRL, LED indicators, Cornering ABS and Traction Control, Cruise Control, 5 Riding Modes, Full colour TFT instrument, USB Socket, Manually adjustable touring windscreen, air deflectors, Aluminum skid plate, Hand guards, Moto Guzzi MIA, Urban panniers, Heated grips, Heated rider seat
Ready for	Custom Riding Mode, TPMS, Moto Guzzi MIA, Cornering ABS	Custom Riding Mode, TPMS, Moto Guzzi MIA	TPMS

<sup>\*</sup>According to guideline VO (EU) 168/2013 with all fluids, with standard equipment and fuelled with at least 90% of usable tank volume

## SERVICES



Thanks to X-Care + Maintenance, the ordinary maintenance packs, you can ride your Moto Guzzi bike with peace of mind, in the world. Created to meet various needs, by choosing and purchasing one of the available packages, you will receive periodic maintenance as required in the use and maintenance manual.

Check the packages available for the various models with your preferred dealer.



The X-Care + Premium Warranty completes the dedicated services on offer, protecting your peace of mind when it comes to your Moto Guzzi bike and allowing you to travel worry-free. In addition to 2-year factory warranty, you can enjoy further protection with a 1 or 2 year extended warranty which includes roadside assistance.

- Coverage of repair costs for faults due to manufacturing or assembly defects on parts
- Replacement of any damaged parts with original spare parts, labour included
- Roadside Assistance includes breakdown and towing service to the nearest Piaggio Service point
- Specialised, certified Piaggio Group Service assistance
- Maintenance of the retail value of your used vehicle in case you decide to sell
- Coverage throughout Europe

Ask your dealership or your authorised service centre for full details of the services and coverage available in your country.



With DreamRide, your dream of riding a Moto Guzzi is even easier to achieve. In fact, you can choose the most suitable financing solution for you, selecting it from a range of services conceived by the Piaggio Group to meet the numerous and changing financing needs.

The company reserves the right to make technical and aesthetic modifications at any time. Complete information regarding models and accessories is available at www.motoguzzi.com. Ride carefully, always wearing a helmet and suitable gear. Always comply with the Highway Code and respect the environment. Read the user and maintenance manuals thoroughly. Always request original, homologated spare parts in accordance with the laws in force. Refer to Official Moto Guzzi Dealers and Authorised Retailers for a secure purchase and quaranteed customer service.

Toll Free Number: 0080012233700

(only for France, Spain, Germany, Benelux and UK)

COMPANY WITH ENVIRONMENTAL SYSTE CERTIFIED BY DNV =ISO 14001= COMPANY WITH QUALITY SYSTER CERTIFIED BY DR ISO 9001 = COMPANY WITH SAFETY SYSTEM CERTIFIED BY DNV = OHSAS 18001=

Moto Guzzi is a registered trademark of Piaggio & C. S.p.A.

